



BAKER IN-OUT AS

LUNETTES À BRANCHES

Head protection



Specific benefits



Comfort

- Ultra lightweight for a better acceptance in extended period of use



Performance

- High performance optical class for less visual fatigue



Easy to use

- Anti-slip ends for an increased comfort and very good hold on the head (or on a helmet)



Durability

- Anti-scratch coating Increasing lifespan



Cost-effective

- Drawstring pouch to store and extend wear

Applications

- Kmetijstvo
- Javna dela
- Stavba
- Second work / craftman
- Proizvodnja / Predelava
- Lahka industrija

Certifications and norms

ANSI-ISEA Z87.1 - IMPACT

Z87+ U6



CSA Z94.3-20

ANSI/ISEA Z87.1

Protects against risks



Shock



UV / IR



Particules



BAKER IN-OUT AS

LUNETTES À BRANCHES

Head protection

Standards - Details

Technical details

| | |
|---------------------------|---|
| Type of eye protection | Glasses |
| Lens matériel | Polycarbonate |
| Lens treatment | Anti-scratch (classic), UV400 |
| Lens based curve | 10 |
| Lens support | Monobloc |
| Lens characteristic | Curved |
| Material nosnega nastavka | Polycarbonate |
| Frame | Temples |
| Temples benefit | Extra thin, Non-slip temples, Padded temples |
| Temples confort | Non-slip temples, Padded temples |
| Optional accessories | Strap, Case |
| Weight (g) | 24g |
| Benefits elements | Respiratory mask compatibility, Ear protection compatibility, Helmet compatibility, Lightweight |








BAKER IN-OUT AS

SAFETY GLASSES

Head protection

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|-----------|--------|------|-----------------|---------------|----------------|---|---|--------|---|---|---|
| BAKERIO | Mirror | - | BAKER IN-OUT AS | 3295249283278 | 13295249283275 | 100 | 10 | 0.0 kg | 30.0 cm | 40.0 cm | 55.0 cm |

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height