

RUIZ 1 Clear

SAFETY GOGGLES

Clear-lens safety goggles with indirect ventilation for short term use



Specific benefits



Comfort

- \cdot Ample indirect venting on the top and bottom of the lens to reduce moisutre infultration and fogging
- · Extra soft nose bridge for an optimised comfort and perfect fit for all body types



Compatibility

· Flexible nose pads for an optimised comfort and a perfect fit for all body types

Applications

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Manufacturing/Transformation
- Accommodation & Food Services

Certifications and norms



EN166

1 B / 3 B

ANSI-ISEA Z87.1 - IMPACT

Z87+D3



CSA Z94.3-20

Risk Protection







RUIZ 1 Clear

SAFETY GOGGLES

Clear-lens safety goggles with indirect ventilation for short term use

Standards - Details

Technical details

| Type of eye protection | Googles |
|-----------------------------|---|
| Lens Material | Polycarbonate |
| Glasses Style | Monoblock |
| Lens color | Clear |
| Optical class | 1 |
| Glasses Characteristics | Straight |
| Mechanical strength (lens) | В |
| Nose pad material | PVC |
| Frame Material | PVC |
| Frame Support | Elastic |
| Frame color | Grey |
| Mechanical strength (frame) | В |
| Headband | Textile |
| Weight (g) | 86 |
| Benefits elements | Large field of view, Ear protection compatibility |







RUIZ 1SAFETY GOGGLES

Clear-lens safety goggles with indirect ventilation for short term use

Head protection

| | | | Logisti | ics informat | ion | | | | | | |
|-----------|--------|------------|-------------|---------------|----------------|----|----|----------|------------|------------|------------|
| Reference | Colour | Size | Designation | EAN13 | Box code | | Å | Weight | | | |
| RUIZ1VI | Clear | Adjustable | RUIZ 1 | 3295249151133 | 13295249151130 | 60 | 10 | 6.508 kg | 37.2 cm | 49.4 cm | 29.0 cm |

| Multiple sales |
|--------------------|
| marcipic saics |

Minimum sales

Box Width

Box Depth

Box Height



