



# VENICUT55

ARBEITEN MIT GERINGEM SCHNITTRISIKO UND ARBEITSINTENSIV

Handschutz



## Anwendung

- Öffentliche Arbeiten
- Gebäude
- Secondhand / Handwerker
- Produktion / Verarbeitung
- Hotel- und Gaststättengewerbe
- Instandhaltung

## Zertifikationen und normen



EN 388  
3 X 4 X C



EN 407  
X 1 X X X X



ANSI ISEA 105  
A3

## Schützt gegen



Hitzefest



Schnitt



Tragen



# VENICUT55

ARBEITEN MIT GERINGEM SCHNITTRISIKO UND ARBEITSINTENSIV

Handschutz

## Details - Normen



### EN388:2016+A1:2018

3 [0-4] WIDERSTAND GEGEN ABRIEB  
X [0-5] SCHNITTFESTIGKEIT  
4 [0-4] TEAR RESISTANCE  
X [0-4] PIERCE RESISTANCE  
C [A-F] CUT RESISTANCE ISO 13997

## Technische Details

Produkttyp	Mechanischer Handschuh
Handschuh-Produktfamilie	Unbeschichteter Strickhandschuh
Art des mechanischen Handschuhs	Gestrickt
Gauge	10
Farbe	Gelb-Grau
Größe	7, 9, 10








# VENICUT55

SLIGHTLY SHARP AND LONG-LASTING WORK

Safety gloves

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT5507	Yellow-Grey	07	VENICUT55	0	0	120	12	10.7 kg	30.4 cm	65.8 cm	28.0 cm
VECUT5509	Yellow-Grey	09	VENICUT55	0	0	120	12	12.0 kg	30.2 cm	66.2 cm	29.6 cm
VECUT5510	Yellow-Grey	10	VENICUT55	0	0	120	12	12.6 kg	30.6 cm	66.4 cm	28.6 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height