



VENICUT55

LAVORI LEGGERMENTE TAGLIENTI DI LUNGA DURATA

Protezione delle mani



Campi di utilizzo

- Lavori pubblici
- Edificio
- Finitura / artigiani
- Produzione / Lavorazione
- Hotel e ristoranti
- Manutenzione

Certificazioni e norme



EN 388
3 X 4 X C



EN 407
X 1 X X X X



ANSI ISEA 105
A3

Protegge contro i rischi



Calore



Taglio



Usura



VENICUT55

LAVORI LEGGERMENTE TAGLIENTI DI LUNGA DURATA

Protezione delle mani

Dettagli - Norme



EN388:2016+A1:2018

3 [0-4] RESISTENZA ALL'ABRASIONE
X [0-5] RESISTENZA AL TAGLIO
4 [0-4] TEAR RESISTANCE
X [0-4] PIERCE RESISTANCE
C [A-F] CUT RESISTANCE ISO 13997

Dettagli tecnici

Tipo di guanto	Guanto meccanico
Gamma di guanti	Guanto in maglia non spalmato
Tipo di guanto meccanico	Lavorazione a maglia
Finezza	10
Colore	Giallo-Grigio
Taglia	7, 9, 10



VENICUT55

SLIGHTLY SHARP AND LONG-LASTING WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT5507	Yellow-Grey	07	VENICUT55	0	0	120	12	10.7 kg	30.4 cm	65.8 cm	28.0 cm
VECUT5509	Yellow-Grey	09	VENICUT55	0	0	120	12	12.0 kg	30.2 cm	66.2 cm	29.6 cm
VECUT5510	Yellow-Grey	10	VENICUT55	0	0	120	12	12.6 kg	30.6 cm	66.4 cm	28.6 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height