



# VENICUT55

DŁUGOTRWAŁA PRACA Z NIEWIELKIM RYZYKIEM PRZECIĘCIA

Ochrona rąk



## Obszar użytkowania

- Roboty publiczne
- Budownictwo
- Prace remontowe / Rzemiosło
- Produkcja / Przetwarzanie
- Hotelarstwo / Gastronomia
- Konserwacja

## Certyfikaty i normy



EN 388  
3 X 4 X C



EN 407  
X 1 X X X X



ANSI ISEA 105  
A3

## Chroni przed



Ciepło



Przecięcie



Zużycie



# VENICUT55

DŁUGOTRWAŁA PRACA Z NIEWIELKIM RYZYKIEM PRZECIĘCIA

Ochrona rąk

## Szczegóły - Normy



### EN388:2016+A1:2018

3 [0-4] ODPORNOŚĆ NA ŚCIERANIE  
X [0-5] ODPORNOŚĆ NA PRZECIĘCIE OSTRYM  
NARZĘDZIEM  
4 [0-4] TEAR RESISTANCE  
X [0-4] PIERCE RESISTANCE  
C [A-F] CUT RESISTANCE ISO 13997

## Dane techniczne

Rodzaj rękawic	Rękawice mechaniczne
Kolekcja rękawic	Rękawice dzianinowe niepowlekanie
Rodzaj rękawicy mechanicznej	Dzianina
Ścieg	10
Kolor	Żółto-szary
Rozmiar	7, 9, 10








# VENICUT55


SLIGHTLY SHARP AND LONG-LASTING WORK

Safety gloves

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT5507	Yellow-Grey	07	VENICUT55	0	0	120	12	10.7 kg	30.4 cm	65.8 cm	28.0 cm
VECUT5509	Yellow-Grey	09	VENICUT55	0	0	120	12	12.0 kg	30.2 cm	66.2 cm	29.6 cm
VECUT5510	Yellow-Grey	10	VENICUT55	0	0	120	12	12.6 kg	30.6 cm	66.4 cm	28.6 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height