



VENICUT55

TRABALHOS LIGEIRAMENTE CORTANTES DE LONGA DURAÇÃO

Proteção das mãos



Área de utilização

- Obras públicas
- Edificação
- Segunda obra / Artesão
- Produção / Transformação
- Hotelaria/Restauração
- Manutenção

Certificações e normas



EN 388
3 X 4 X C



EN 407
X 1 X X X X



ANSI ISEA 105
A3

Protege contra



Calor



Corte



Desgaste



VENICUT55

TRABALHOS LIGEIRAMENTE CORTANTES DE LONGA DURAÇÃO

Proteção das mãos

Detalhes - Normas



EN388:2016+A1:2018

3 [0- 4] RESISTÊNCIA À ABRASÃO
X [0-5] RESISTÊNCIA AO CORTE POR GOLPES
4 [0-4] TEAR RESISTANCE
X [0-4] PIERCE RESISTANCE
C [A-F] CUT RESISTANCE ISO 13997

Detalhes técnicos

Tipo de luva	Luva mecânica
Família de luvas	Luva de malha não revestida
Tipo de luva mecânica	Tricotado
Agulha	10
Cor	Amarelo-Cinzentos
Tamanho	7, 9, 10



VENICUT55

SLIGHTLY SHARP AND LONG-LASTING WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT5507	Yellow-Grey	07	VENICUT55	0	0	120	12	10.7 kg	30.4 cm	65.8 cm	28.0 cm
VECUT5509	Yellow-Grey	09	VENICUT55	0	0	120	12	12.0 kg	30.2 cm	66.2 cm	29.6 cm
VECUT5510	Yellow-Grey	10	VENICUT55	0	0	120	12	12.6 kg	30.6 cm	66.4 cm	28.6 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height