



VENICUT55

SLIGHTLY SHARP AND LONG-LASTING WORK

Hand protection



Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Manufacturing/Transformation
- Accommodation & Food Services
- Maintenance

Certifications and norms



EN 388
3 X 4 X C



EN 407
X 1 X X X X



ANSI ISEA 105
A3

Risk Protection



Heat



Cutting



Wearing



VENICUT55

SLIGHTLY SHARP AND LONG-LASTING WORK

Hand protection

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
X [0-4] PIERCE RESISTANCE
C [A-F] CUT RESISTANCE ISO 13997

Technical details

| | |
|-----------------------|------------------------|
| Glove kind | Mechanical glove |
| Glove family | Knitted uncoated glove |
| Mechanical Glove Type | Tricot |
| Gauge | 10 |
| Color | Yellow-Grey |
| Size | 7, 9, 10 |








VENICUT55

SLIGHTLY SHARP AND LONG-LASTING WORK

Safety gloves

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|-----------|-------------|------|-------------|-------|----------|---|---|---------|---|---|---|
| VECUT5507 | Yellow-Grey | 07 | VENICUT55 | 0 | 0 | 120 | 12 | 10.7 kg | 30.4 cm | 65.8 cm | 28.0 cm |
| VECUT5509 | Yellow-Grey | 09 | VENICUT55 | 0 | 0 | 120 | 12 | 12.0 kg | 30.2 cm | 66.2 cm | 29.6 cm |
| VECUT5510 | Yellow-Grey | 10 | VENICUT55 | 0 | 0 | 120 | 12 | 12.6 kg | 30.6 cm | 66.4 cm | 28.6 cm |

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height