



AN503120JJ

UŽAD ZA AMORTIZACIJU PADA

Oprema protiv pada



Prednosti



Higijena

· Mogućnost pranja pojaseva i tkanine neutralnim sapunom



Jednostavnost korištenja

· NFC sustav koji jamči sljedivost



Trajnost

· Iznimno čvrsta traka zahvaljujući vrsti tkanja i materijalu te širini

Područje upotrebe

- Javni radovi
- Zgrada
- Pomoćni poslovi / Obrtništvo
- Teška industrija
- Laka industrija
- Održavanje

Certifikati i standardi



CSA Z259.11-17

Štiti od



Pad



AN503120JJ

UŽAD ZA AMORTIZACIJU PADA

Oprema protiv pada

Pojedinosti - Standardi

Tehnički detalji

Vrsta opreme	Amortizacija pada uz pomoć užadi
Sastav glavnog nosača	Pocinčani čelik, Poliester
Duljina (m)	1.2
S priključkom	yes
Boja	Crna-Žuta
Spona (na strani korisnika)	Mala kuka, čelik, otvor 21 mm
SIZE	1,2 m
Završetak	2 našivene petlje na naprsku
Spona (na strani konstrukcije)	Mala kuka, čelik, otvor 21 mm
Vijek upotrebe nakon datuma proizvodnje (godine)	10
Težina (kg) (kg)	1.06
Radne situacije za zaštitu od pada	Vertikalno kretanje na fiksnoj strukturi, Kratkotrajno vertikalno kretanje ili kretanje na kosoj podlozi (- 3m), Kratkotrajno horizontalno kretanje (- 3m)
Duljina (ft)	4








Fall protection

AN503120JJ

ENERGY ABSORBING LANYARDS

Double energy absorbing lanyard, made of high impact webbing, with 2 wide opening hooks, for short distances

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN503120JJ	Black-Yellow	1,2 m	AN503120JJ	3295249281182	13295249281189	5	1	6.12 kg	44.0 cm	28.0 cm	15.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height