



AN503120JJ

ENERJİ SÖNÜMLEYİCİ HALATLAR

Düşme önleme



Avantajlar



Hijyen

· Emniyet kemerlerini ve kumaşları nötr sabunla yıkama imkanı



Kullanım kolaylığı

· Takip edilebilirlik sağlayan NFC sistemi



Sürdürülebilirlik

· Örgüsü ve genişliği sayesinde dokumanın yüksek mukavemeti

Uygulamalar

- Kamu işleri
- Yapı
- İkinci iş / Zanaatkarlar
- Ağır sanayi
- Hafif sanayi
- Bakım

Sertifikalar ve standartlar



CSA Z259.11-17

Karşı korur



Düşme



AN503120JJ

ENERJİ SÖNÜMLEYİCİ HALATLAR

Düşme önleme

Detaylar - Standartlar

Ürün bilgileri

Ekipman Türü	Düz dokuma kordon
Ana destek yapısı	Galvanize çelik, Polyester
Uzunluk (m)	1.2
Konektör ile	evet
Renk	Siyah-Sarı
Konektör (kullanıcı tarafı)	Küçük kanca, çelik, açıklık 21 mm
SIZE	1,2 m
Bitiş	2 adet dikilmiş yüksük ilmek
Konnektör (yapı tarafı)	Küçük kanca, çelik, açıklık 21 mm
Üretimden itibaren raf ömrü (yıllar)	10
Ağırlık (kg) (kg)	1.06
Düşmeye karşı çalışma koşulları	Sabit yapılarda dikey hareket, Kısa dikey hareket ya da eğimli yüzeylerde hareket (3m'den az), Kısa yatay hareket (3m'den az)
Uzunluk (ft)	4








Fall protection

AN503120JJ

ENERGY ABSORBING LANYARDS

Double energy absorbing lanyard, made of high impact webbing, with 2 wide opening hooks, for short distances

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN503120JJ	Black-Yellow	1,2 m	AN503120JJ	3295249281182	13295249281189	5	1	6.12 kg	44.0 cm	28.0 cm	15.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height