



Fall protection

AN537180JJ

ENERGY ABSORBING LANYARDS

Energy absorbing lanyard made of lightweight elastic webbing, providing freedom of movement



Specific benefits



Hygiene

· Can wash harnesses and textiles with neutral soap



Ease of Use

· NFC system guarantees traceability



Sustainability

· High webbing tenacity thanks to its weave and width

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Heavy Industry
- Light Industry
- Maintenance

Certifications and norms

ANSI Z359.13-2013



CSA Z259.11-17

Risk Protection



Fall



Fall protection

AN537180JJ

ENERGY ABSORBING LANYARDS

Energy absorbing lanyard made of lightweight elastic webbing, providing freedom of movement

Standards - Details

Technical details

Type of equipment	Flat webbing lanyard
Composition of the main support	Galvanized steel, Polyester
Max. length (m)	1.8
Max. length (ft)	6
Min. length (m)	1.3
Min. length (ft)	4.3
Length (m)	1,8
With connector	yes
Color	Black-Yellow
Connector 1	Small hook, steel, opening 21 mm
SIZE	1,3 to 1,8 m
Ending	2 sewn thimble loops
Connectors (structure side)	Small hook, steel, opening 21 mm
Lifespan from manufacturing (years)	10
Weight (kg)	1.3
Type of conditioning	Box of 5
Fall arrest work situations	Vertical movement on a permanent structure, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m)
Length (ft)	5.9055








Fall protection

AN537180JJ

ENERGY ABSORBING LANYARDS

Energy absorbing lanyard made of lightweight elastic webbing, providing freedom of movement

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AN537180JJ	Black-Yellow	1,3 to 1,8 m	AN537180JJ	3295249219468	13295249219465	5	1	6.9 kg	44.0 cm	27.0 cm	12.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height