



Zertifikationen und normen



CSA Z259.2.2-17



CSA Z259.2.5

Schützt gegen





Vorteile



Einfache Handhabung

· Schiebeöffnung für ein einfaches Anlegen an der Seilhalterung

Anwendung

- Landwirtschaft
- Gebäude
- · Secondhand / Handwerker
- Schwerindustrie
- Automobil
- Öl & Gas (Förderung)





8520700HALTESYSTEME

Details - Normen

Technische Details

Art der Ausrüstung	Seilgreifer/Lanyard
Zusammensetzung der Hauptunterlage	Stahl
Länge (m)	0.8
Lock	Automatic system
Elemente enthalten	Falldämpfer, Seilklemme Lanyard, Vertikale Rettungsleine
Art des Anschlusses	Männlich / Weiblich
Größe	One size
Weight (lbs)	2.4
Länge (ft)	2.5







8520700

ANCHORAGE DEVICES

Rope grab/lanyard combo is designed to protect workers from falling when working at heights, the shock pack lanyard helps absorb some of the energy generated during a fall, reducing the impact on the worker's body.

Logistics information												
Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight				
WCA20700	Colourless	-	8520700	0	0	1	1	0.0	0.0	0.0	0.0	

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height