



# 8520700

## BEVESTIGINGSSYSTEMEN

Valbescherming



### Voordelen



#### Gemakkelijk te gebruiken

- Schuifopening voor eenvoudige montage op de touwsteun

### Toepassing

- Landbouw
- Bouw & Constructie
- Afwerking / ambachtslieden
- Zware industrie
- Automotive
- Olie en Gas(winning)

### Certificeringen en normen



CSA Z259.2.2-17



CSA Z259.2.5

### Beschermt tegen



Val



# 8520700

## BEVESTIGINGSSYSTEMEN

Valbescherming

### Normen - Details

### Technische details

Soort uitrusting	Touwgreep/vleerkoord
Samenstelling van de hoofdsteun	Staal
Lengte (m)	0.8
Lock	Automatic system
Inbegrepen elementen	Energie absorber, Koord om te grijpen, Verticale levenslijn
Soort verbinding	Mannelijk/Vrouwelijk
Maat	One size
Weight (lbs)	2.4
Lengte (ft)	2.5



Fall protection

# 8520700

## ANCHORAGE DEVICES

Rope grab/lanyard combo is designed to protect workers from falling when working at heights, the shock pack lanyard helps absorb some of the energy generated during a fall, reducing the impact on the worker's body.

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA20700	Colourless	-	8520700	0	0	1	1	0.0	0.0	0.0	0.0

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height