



# 8520700

## DISPOSITIVOS DE ANCORAGEM

Proteção anti-quedas



### Benefícios



#### Facilidade de utilização

· Abertura deslizante, permitindo uma fácil colocação no suporte do cabo

### Área de utilização

- Agricultura
- Edificação
- Segunda obra / Artesão
- Indústria pesada
- Automóvel
- Petróleo e gás (extração)

### Certificações e normas



CSA Z259.2.2-17



CSA Z259.2.5

### Protege contra



Queda



# 8520700

## DISPOSITIVOS DE ANCORAGEM

Proteção anti-quedas

### Detalhes - Normas

### Detalhes técnicos

|                                 |   |
|---------------------------------|---|
| Tipo de equipamento             | #MUSPEC                                 |
| Composição do suporte principal | Aço                                     |
| Comprimento (m)                 | 0.8                                     |
| Lock                            | Automatic system                        |
| Artigos incluídos               | Absorvedor de energia, #MUSPEC, #MUSPEC |
| Tipo de ligações                | Masculino/Feminino                      |
| Tamanho                         | One size                                |
| Weight (lbs)                    | 2.4                                     |
| Comprimento (ft)                | 2.5                                     |



Fall protection

# 8520700

## ANCHORAGE DEVICES

Rope grab/lanyard combo is designed to protect workers from falling when working at heights, the shock pack lanyard helps absorb some of the energy generated during a fall, reducing the impact on the worker's body.

### Logistics information

| Reference | Colour     | Size | Designation | EAN13 | Box code |   |   | Weight |     |     |     |
|-----------|------------|------|-------------|-------|----------|---|---|--------|-----|-----|-----|
| WCA20700  | Colourless | -    | 8520700     | 0     | 0        | 1 | 1 | 0.0    | 0.0 | 0.0 | 0.0 |

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height