



8520700

DISPOSITIFS D'ANCRAGE

Fall protection



Specific benefits



Easy to use

- Sliding opening for easy positioning on the rope support

Applications

- Kmetijstvo
- Stavba
- Second work / craftman
- Težka industrija
- Avtomobilska
- Nafta in plin (pridobivanje)

Certifications and norms



CSA Z259.2.2-17



CSA Z259.2.5

Protects against risks



Fall



8520700

DISPOSITIFS D'ANCRAGE

Fall protection

Standards - Details

Technical details

Type of equipment	Rope Grab/Lanyard
Composition of the main support	Steel
Length (m)	0.8
Lock	Automatic system
Included elements	Included energy absorber, Rope grab lanyard, Vertical lifeline
Type of fitting	Male/Female
Velikost	One size
Weight (lbs)	2.4
Lenght (ft)	2.5



Fall protection

8520700

ANCHORAGE DEVICES

Rope grab/lanyard combo is designed to protect workers from falling when working at heights, the shock pack lanyard helps absorb some of the energy generated during a fall, reducing the impact on the worker's body.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA20700	Colourless	-	8520700	0	0	1	1	0.0	0.0	0.0	0.0

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height