



8520700

DISPOSITIVOS DE ANCLAJE

Sujeción de Carga-Izaje de carga-Protección en Altura



Beneficios



Facilidad de uso

· Apertura deslizante para facilitar la colocación en el soporte de la cuerda

Aplicaciones

- Agricultura
- Edificación
- Reformas / Profesional autónomo
- Industria pesada
- Automóvil
- Petróleo y gas (extracción)

Certificaciones y normas

ANSI Z359.1-2016

ANSI Z359.3-2017



CSA Z259.2.2-17



CSA Z259.2.5

Protección contra



Caídas



8520700

DISPOSITIVOS DE ANCLAJE

Sujeción de Carga-Izaje de
carga-Protección en Altura

Detalles - Normas

Detalles técnicos

Tipo de equipo	Agarre de cuerda/anclaje
Composición del soporte principal	Acero
Largo (m)	0.8
Lock	Automatic system
Elementos incluidos	Absorbedor de energía, Cuerda de sujeción, Línea de vida vertical
Tipo de conexión	Hombre/Mujer
Talla	One size
Weight (lbs)	2.4
Longitud (ft)	2.5



Fall protection

8520700

ANCHORAGE DEVICES

Rope grab/lanyard combo is designed to protect workers from falling when working at heights, the shock pack lanyard helps absorb some of the energy generated during a fall, reducing the impact on the worker's body.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA20700	Colourless	-	8520700	0	0	1	1	0.0	0.0	0.0	0.0

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height