



8520700

ΔΙΑΤΑΞΕΙΣ ΑΓΚΥΡΩΣΗΣ

Αντιπτωτική προστασία



Οφέλη



Ευκολία χρήσης

· Συρόμενο άνοιγμα που επιτρέπει την εύκολη τοποθέτηση στο σχοινί

Περιοχή χρήσης

- Γεωργία
- Οικοδομική βιομηχανία
- Λεπτες εργασίες / Καλλιτεχνίες
- Βαρια βιομηχανία
- Αυτοκίνητο
- Εξόρυξη πετρελαίου & φυσικού αερίου

Πιστοποιήσεις και Προτυπα



CSA Z259.2.2-17



CSA Z259.2.5

Προστατεύει από



Πτώση



8520700

ΔΙΑΤΑΞΕΙΣ ΑΓΚΥΡΩΣΗΣ

Αντιπτωτική προστασία

Λεπτομερείες - Προτυπα

Τεχνικές λεπτομέρειες

Τύπος εξοπλισμού	Πιάσιμο σχοινιού / κορδόνι
Σύνθεση του κύριου υποστηρίγματος	Χάλυβας
Μήκος (m)	0.8
Lock	Automatic system
Στοιχεία που περιλαμβάνονται	Απορροφητής ενέργειας, Σχοινί πρόσδεσης σχοινιού, Κατακόρυφο σωσίβιο
Τύπος σύνδεσης	Αρσενικό/Θηλυκό
Μέγεθος	One size
Weight (lbs)	2.4
Μήκος (ft)	2.5



Fall protection

8520700

ANCHORAGE DEVICES

Rope grab/lanyard combo is designed to protect workers from falling when working at heights, the shock pack lanyard helps absorb some of the energy generated during a fall, reducing the impact on the worker's body.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WCA20700	Colourless	-	8520700	0	0	1	1	0.0	0.0	0.0	0.0

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height