

Hand protection

VENICUTD02 LONG-LASTING CUT WORK

Level D cut-resistant glove with very good thermal resistance, ideal in wet conditions



Specific benefits

Performance

· The high-performance HEATnocut fiber provides excellent abrasion and cut resistance

• The high-performance HEATnocut fiber provides resistance to contact heat (250° for 15 seconds)

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Mining
- Temporary Work
- Power Energy





ANSI ISEA 105

A4

Risk Protection







enjoy

Edit 04/11/2024 www.deltaplus-usa.com



VENICUTD02

LONG-LASTING CUT WORK

Hand protection

Level D cut-resistant glove with very good thermal resistance, ideal in wet conditions

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE X [0-5] CUT RESISTANCE 4 [0-4] TEAR RESISTANCE 2 [0-4] PIERCE RESISTANCE D [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Coating material and finition	Grip Textured Latex
Coating Level	Palm Coating
Number of Coatings	Single Coated
Gauge	10
Benefits element	Reach, Vendor pack
Color	Yellow-Grey-Black
Size	7, 8, 9, 10
Type of conditioning	in individual bags



enjoy s



VENICUTD02


LONG-LASTING CUT WORK

Level D cut-resistant glove with very good thermal resistance, ideal in wet conditions

Safety gloves

Logistics information												
Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight				
VECUTD02GJ07	Yellow-Grey-Black	07	VENICUTD02	3295249150778	13295249150775	60	12	8.3 kg	28.0 cm	35.0 cm	35.0 cm	
VECUTD02GJ08	Yellow-Grey-Black	08	VENICUTD02	3295249158484	13295249158481	60	12	8.3 kg	30.0 cm	38.2 cm	46.0 cm	
VECUTD02GJ09	Yellow-Grey-Black	09	VENICUTD02	3295249150785	13295249150782	60	12	9.2 kg	29.8 cm	46.4 cm	43.8 cm	
VECUTD02GJ10	Yellow-Grey-Black	10	VENICUTD02	3295249150792	13295249150799	60	12	9.8 kg	29.2 cm	45.4 cm	41.6 cm	

Multiple sales



👕 Box Width

👕 Box Depth

Box Height



enjoy sa

17/11/2024 www.delta-plus.ca