



Hand protection

# APOLLON WINTER CUT VV737

THERMAL COLD WORKS

Level E cut-resistant thermal glove, ideal for extreme cold environments



## Specific benefits



### Performance

· Excellent resistance to cold and humidity, ideal for cold environments down to -30°C



### Visibility

· Fluorescent backing for easy visual identification of the glove

## Applications

- Agriculture
- Public Works
- Building
- Maintenance
- Automotive
- Temporary Work

## Certifications and norms



EN 388  
3 X 4 3 E



EN 511  
X  
3  
X

ANSI ISEA 105

A5



Hand protection

# APOLLON WINTER CUT VV737

THERMAL COLD WORKS

Level E cut-resistant thermal glove, ideal for extreme cold environments

## Standards - Details



### EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE  
X [0-5] CUT RESISTANCE  
4 [0-4] TEAR RESISTANCE  
3 [0-4] PIERCE RESISTANCE  
E [A-F] CUT RESISTANCE ISO 13997

## Technical details

Glove kind	Special glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Special gloves kind	Cold
Coating material and finition	Latex foam
Coating Level	Palm Coating
Number of Coatings	Single Coated
Gauge	10
Benefits element	High-Viz, Reach, Vendor pack, Azo Free
Color	Fluorescent Yellow-Black
Size	8, 9, 10, 11
Type of conditioning	in individual bags








Safety gloves

# APOLLON WINTER CUT VV737

## THERMAL COLD WORKS

Level E cut-resistant thermal glove, ideal for extreme cold environments

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV737JA08	Fluorescent yellow-Black	08	APOLLON WINTER CUT VV737	3295249213282	13295249213289	60	12	7.9 kg	27.2 cm	65.4 cm	24.0 cm
VV737JA09	Fluorescent yellow-Black	09	APOLLON WINTER CUT VV737	3295249213244	13295249213241	60	12	8.1 kg	28.2 cm	68.6 cm	23.0 cm
VV737JA10	Fluorescent yellow-Black	10	APOLLON WINTER CUT VV737	3295249213251	13295249213258	60	12	8.9 kg	29.6 cm	68.2 cm	22.4 cm
VV737JA11	Fluorescent yellow-Black	11	APOLLON WINTER CUT VV737	3295249213268	13295249213265	60	12	8.8 kg	29.4 cm	67.2 cm	25.2 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height