



# HERCULE VV750

## THERMAL COLD WORKS

Hand protection



### Specific benefits



#### Performance

· Excellent resistance to cold and humidity, ideal for cold environments down to -30°C

### Applications

- Kmetijstvo
- Javna dela
- Stavba
- Second work / craftman
- Vzdrževanje
- Avtomobilska

### Certifications and norms



EN 388  
3 2 2 1 X



EN 511  
X  
2  
X

### Protects against risks



Cold



Wearing



# HERCULE VV750

## THERMAL COLD WORKS

Hand protection

### Standards - Details



#### EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE  
2 [0-5] CUT RESISTANCE  
2 [0-4] TEAR RESISTANCE  
1 [0-4] PIERCE RESISTANCE  
X [A-F] CUT RESISTANCE ISO 13997

### Technical details

Glove kind	Special glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Special gloves kind	Cold
Coating material and finition	Nitrile foam
Lining material	Fleece fibers
Coating level	3/4 Coated
Number of layer	Single layer
Gauge	7
Benefits element	Reach, Vendor pack
Color	Črna
Size	9, 10
Type of packaging	in individual bags








Safety gloves

# HERCULE VV750

## THERMAL COLD WORKS

Waterproof , thermal glove up to mid-back, providing comfort and warmth retention for applications in extreme cold environments

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VV750NO08	Black	08	HERCULE VV750	3295249249243	13295249249240	60	10	0.0 kg	34.0 cm	48.0 cm	35.0 cm
VV750NO09	Black	09	HERCULE VV750	3295249157586	13295249157583	60	10	8.2 kg	34.8 cm	49.4 cm	36.8 cm
VV750NO10	Black	10	HERCULE VV750	3295249157593	13295249157590	60	10	7.8 kg	34.8 cm	48.8 cm	35.6 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height