



VENICUT57G3

DLOUHOTRVAJÍCÍ ŘEZACÍ PRÁCE

Ochrana rukou



Použití

- Veřejné práce
- Budova
- Dokončovací stavební práce / řemesla
- Údržba
- Chemický průmysl
- Automobilky

Certifikace a normy



EN 388
4 X 4 3 D

ANSI ISEA 105

A3

Chrání před riziky



Proříznutí



Opotřebení



VENICUT57G3

DLOUHOTRVAJÍCÍ ŘEZACÍ PRÁCE

Ochrana rukou

Podrobnosti - Normy



EN388:2016+A1:2018

4 [0-4] ODOLNOST PROTI ODĚRU
X [0-5] ODOLNOST PROTI POŘEZÁNÍ
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Technické detaily

| | |
|--|---------------------------|
| Typ rukavice | Mechanická rukavice |
| Sada rukavic | Potažená pletená rukavice |
| Typ rukavice strojírenství | Úpletová |
| Materiál a povrchová úprava impregnace | Hladký nitril |
| Úroveň máčení | Povrchová úprava dlaně |
| Počet máčení | Jedno máčení |
| Míry | 13 |
| Barva | Šedá-Černá |
| Velikost | 7, 8, 9, 10 |








VENICUT57G3

LONG-LASTING CUT WORK

Safety gloves

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|---------------|------------|------|-------------|-------|----------|---|---|---------|---|---|---|
| VECUT57GRG307 | Grey-Black | 07 | VENICUT57G3 | 0 | 0 | 40 | 4 | 11.4 kg | 29.2 cm | 38.6 cm | 58.8 cm |
| VECUT57GRG308 | Grey-Black | 08 | VENICUT57G3 | 0 | 0 | 40 | 4 | 12.8 kg | 30.4 cm | 38.8 cm | 58.2 cm |
| VECUT57GRG309 | Grey-Black | 09 | VENICUT57G3 | 0 | 0 | 40 | 4 | 13.8 kg | 31.0 cm | 43.2 cm | 60.2 cm |
| VECUT57GRG310 | Grey-Black | 10 | VENICUT57G3 | 0 | 0 | 40 | 4 | 14.6 kg | 29.8 cm | 38.4 cm | 59.6 cm |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height