



# VENICUT57G3

LONG-LASTING CUT WORK

Hand protection



## Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Automotive

## Certifications and norms



EN 388  
4 X 4 3 D

ANSI ISEA 105  
A3

## Risk Protection



Cutting



Wearing



*enjoy safety.*



# VENICUT57G3

LONG-LASTING CUT WORK

Hand protection

## Standards - Details



### EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE  
X [0-5] CUT RESISTANCE  
4 [0-4] TEAR RESISTANCE  
3 [0-4] PIERCE RESISTANCE  
D [A-F] CUT RESISTANCE ISO 13997

## Technical details

|                               |                      |
|-------------------------------|----------------------|
| Glove kind                    | Mechanical glove     |
| Glove family                  | Knitted coated glove |
| Mechanical Glove Type         | Tricot               |
| Coating material and finition | Smooth Nitrile       |
| Coating Level                 | Palm Coating         |
| Number of Coatings            | Single Coated        |
| Gauge                         | 13                   |
| Color                         | Gray-Black           |
| Size                          | 7, 8, 9, 10          |








# VENICUT57G3

## LONG-LASTING CUT WORK

Safety gloves

### Logistics information

| Reference     | Colour     | Size | Designation | EAN13 | Box code |  |  | Weight  |  |  |  |
|---------------|------------|------|-------------|-------|----------|---|---|---------|---|---|---|
| VECUT57GRG307 | Grey-Black | 07   | VENICUT57G3 | 0     | 0        | 40  | 4   | 11.4 kg | 29.2 cm   | 38.6 cm   | 58.8 cm   |
| VECUT57GRG308 | Grey-Black | 08   | VENICUT57G3 | 0     | 0        | 40  | 4   | 12.8 kg | 30.4 cm   | 38.8 cm   | 58.2 cm   |
| VECUT57GRG309 | Grey-Black | 09   | VENICUT57G3 | 0     | 0        | 40  | 4   | 13.8 kg | 31.0 cm   | 43.2 cm   | 60.2 cm   |
| VECUT57GRG310 | Grey-Black | 10   | VENICUT57G3 | 0     | 0        | 40  | 4   | 14.6 kg | 29.8 cm   | 38.4 cm   | 59.6 cm   |

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height