



# VENICUT54BL

## LONG-LASTING CUT WORK

Hand protection



### Specific benefits



#### Durability

· Longer service life thanks to a double coating for excellent abrasion resistance



#### Hygiene

· Nitrile means no risk of allergies for users



#### Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

### Certifications and norms



EN 388  
4 X 4 3 D

ANSI ISEA 105

A4

### Applications

- Kmetijstvo
- Javna dela
- Stavba
- Second work / craftman
- Vzdrževanje
- Kemična industrija

### Protects against risks



Cutting



Wearing



# VENICUT54BL

## LONG-LASTING CUT WORK

Hand protection

### Standards - Details



#### EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE  
X [0-5] CUT RESISTANCE  
4 [0-4] TEAR RESISTANCE  
3 [0-4] PIERCE RESISTANCE  
D [A-F] CUT RESISTANCE ISO 13997

### Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Coating material and finition	Nitrile double layer
Coating level	Palm coated
Number of layer	Double Layer
Gauge	13
Benefits element	Reach, Vendor pack
Color	Kraljvesko modra-Črna
Size	8, 9, 10, 11
Type of packaging	in individual bags








# VENICUT54BL

## LONG-LASTING CUT WORK

Safety gloves

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT54BL08	Royal blue-Black	08	VENICUT54BL	0	0	60	12	6.5 kg	18.4 cm	31.0 cm	69.6 cm
VECUT54BL09	Royal blue-Black	09	VENICUT54BL	0	0	60	12	7.0 kg	18.4 cm	30.8 cm	69.0 cm
VECUT54BL10	Royal blue-Black	10	VENICUT54BL	0	0	60	12	7.6 kg	18.2 cm	30.4 cm	69.6 cm
VECUT54BL11	Royal blue-Black	11	VENICUT54BL	0	0	60	12	7.0 kg	30.0 cm	70.2 cm	16.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height