



VENICUT57G3

ΕΡΓΑΣΙΕΣ ΑΙΧΜΗΡΕΣ ΜΕΓΑΛΗΣ ΔΙΑΡΚΕΙΑΣ

Προστασία των χεριών



Περιοχή χρήσης

- Δημόσια έργα
- Οικοδομική βιομηχανία
- Λεπτες εργασίες / Καλλιτεχνισ
- Συντήρηση
- Χημική βιομηχανία
- Αυτοκίνητο

Πιστοποιησεις και Προτυπα



EN 388
4 X 4 3 D

ANSI ISEA 105

A3

Προστατεύει από



Κοπή



Φθορα



VENICUT57G3

ΕΡΓΑΣΙΕΣ ΑΙΧΜΗΡΕΣ ΜΕΓΑΛΗΣ ΔΙΑΡΚΕΙΑΣ

Προστασία των χεριών

Λεπτομερείες - Προτυπα



EN388:2016+A1:2018

4 [0-4] ΑΝΤΙΣΤΑΣΗ ΣΤΗΝ ΤΡΙΒΗ
X [0-5] ΑΝΤΙΣΤΑΣΗ ΣΤΗΝ ΚΟΠΗ
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Τεχνικές λεπτομέρειες

Τύπος γαντιού	Γάντι μηχανικής προστασίας
Κατηγορία γαντιών	Πλεκτό γάντι με επίστρωση
Τύπος μηχανικού γαντιού	Πλεκτό
Υλικό επίστρωσης και φινιρίσματος	Λείο νιτρίλιο
Περιοχή επίστρωσης	Επίστρωση παλάμης
Τύπος επίστρωσης	Απλή επίστρωση
Μετρητής	13
Χρώμα	Γκρι-Μαύρο
Μέγεθος	7, 8, 9, 10








VENICUT57G3

LONG-LASTING CUT WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT57GRG307	Grey-Black	07	VENICUT57G3	0	0	40	4	11.4 kg	29.2 cm	38.6 cm	58.8 cm
VECUT57GRG308	Grey-Black	08	VENICUT57G3	0	0	40	4	12.8 kg	30.4 cm	38.8 cm	58.2 cm
VECUT57GRG309	Grey-Black	09	VENICUT57G3	0	0	40	4	13.8 kg	31.0 cm	43.2 cm	60.2 cm
VECUT57GRG310	Grey-Black	10	VENICUT57G3	0	0	40	4	14.6 kg	29.8 cm	38.4 cm	59.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height