



VENICUT52

LAVORI TAGLIENTI DI LUNGA DURATA

Protezione delle mani



Campi di utilizzo

- Lavori pubblici
- Edificio
- Finitura / artigiani
- Manutenzione
- Automotive
- Lavoro temporaneo

Certificazioni e norme



EN 388
3 X 4 2 D



EN 407
X 2 X X X X

ANSI ISEA 105

A3

Protegge contro i rischi



Calore



Taglio



Usura



enjoy safety.

Modifica 05/11/2024
www.deltaplus.eu



VENICUT52

LAVORI TAGLIENTI DI LUNGA DURATA

Protezione delle mani

Dettagli - Norme



EN388:2016+A1:2018

3 [0-4] RESISTENZA ALL'ABRASIONE
X [0-5] RESISTENZA AL TAGLIO
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Dettagli tecnici

| | |
|---------------------------------------|------------------------------------|
| Tipo di guanto | Guanto meccanico |
| Gamma di guanti | Guanto in maglia spalmato |
| Tipo di guanto meccanico | Lavorazione a maglia |
| Materiale e finitura della spalmatura | Lattice testurizzato dal buon grip |
| Livello di spalmatura | Spalmatura sul palmo |
| Numero di spalmature | Spalmatura singola |
| Finezza | 10 |
| Colore | Giallo-Nero |
| Taglia | 7, 8, 9, 10 |








VENICUT52

LONG-LASTING CUT WORK

Safety gloves

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|-----------|--------------|------|-------------|-------|----------|---|---|---------|---|---|---|
| VECUT5207 | Yellow-Black | 07 | VENICUT52 | 0 | 0 | 60 | 12 | 8.3 kg | 28.0 cm | 34.8 cm | 38.4 cm |
| VECUT5208 | Yellow-Black | 08 | VENICUT52 | 0 | 0 | 60 | 12 | 8.9 kg | 28.6 cm | 34.8 cm | 39.2 cm |
| VECUT5209 | Yellow-Black | 09 | VENICUT52 | 0 | 0 | 60 | 12 | 9.4 kg | 29.2 cm | 37.4 cm | 39.4 cm |
| VECUT5210 | Yellow-Black | 10 | VENICUT52 | 0 | 0 | 60 | 12 | 10.0 kg | 28.8 cm | 37.2 cm | 40.2 cm |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height