



VENICUT52

DŁUGOTRWAŁA PRACA Z RYZYKIEM PRZECIĘCIA

Ochrona rąk



Obszar użytkowania

- Roboty publiczne
- Budownictwo
- Prace remontowe / Rzemiosło
- Konserwacja
- Motoryzacja
- Praca tymczasowa

Certyfikaty i normy



EN 388
3 X 4 2 D



EN 407
X 2 X X X X

ANSI ISEA 105

A3

Chroni przed



Ciepło



Przecięcie



Zużycie



VENICUT52

DŁUGOTRWAŁA PRACA Z RYZYKIEM PRZECIĘCIA

Ochrona rąk

Szczegóły - Normy



EN388:2016+A1:2018

3 [0-4] ODPORNOŚĆ NA ŚCIERANIE
X [0-5] ODPORNOŚĆ NA PRZECIĘCIE OSTRYM
NARZĘDZIEM
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Dane techniczne

Rodzaj rękawic	Rękawice mechaniczne
Kolekcja rękawic	Rękawice dzianinowe powlekane
Rodzaj rękawicy mechanicznej	Dzianina
Materiał powłoki i wykończenie	Lateks przyczepny teksturowany
Zakres powleczenia	Powleczenie strony chwytnej
Liczba powłok	Pojedyncza powłoka
Ścieg	10
Kolor	Żółto-czarny
Rozmiar	7, 8, 9, 10








VENICUT52

LONG-LASTING CUT WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT5207	Yellow-Black	07	VENICUT52	0	0	60	12	8.3 kg	28.0 cm	34.8 cm	38.4 cm
VECUT5208	Yellow-Black	08	VENICUT52	0	0	60	12	8.9 kg	28.6 cm	34.8 cm	39.2 cm
VECUT5209	Yellow-Black	09	VENICUT52	0	0	60	12	9.4 kg	29.2 cm	37.4 cm	39.4 cm
VECUT5210	Yellow-Black	10	VENICUT52	0	0	60	12	10.0 kg	28.8 cm	37.2 cm	40.2 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height