



VENICUT52

TRABALHOS CORTANTES DE LONGA DURAÇÃO

Proteção das mãos



Área de utilização

- Obras públicas
- Edificação
- Segunda obra / Artesão
- Manutenção
- Automóvel
- Trabalho temporário

Certificações e normas



EN 388
3 X 4 2 D



EN 407
X 2 X X X X

ANSI ISEA 105

A3

Protege contra



Calor



Corte



Desgaste



VENICUT52

TRABALHOS CORTANTES DE LONGA DURAÇÃO

Proteção das mãos

Detalhes - Normas



EN388:2016+A1:2018

3 [0- 4] RESISTÊNCIA À ABRASÃO
X [0-5] RESISTÊNCIA AO CORTE POR GOLPES
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Detalhes técnicos

| | |
|---------------------------------------|--------------------------|
| Tipo de luva | Luva mecânica |
| Família de luvas | Luva de malha revestida |
| Tipo de luva mecânica | Tricotado |
| Material e acabamento do revestimento | Látex texturado aderente |
| Nível do revestimento | Revestimento palmar |
| Número de revestimento | Revestimento simples |
| Agulha | 10 |
| Cor | Amarelo-Preto |
| Tamanho | 7, 8, 9, 10 |








VENICUT52


LONG-LASTING CUT WORK

Safety gloves

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|-----------|--------------|------|-------------|-------|----------|---|---|---------|---|---|---|
| VECUT5207 | Yellow-Black | 07 | VENICUT52 | 0 | 0 | 60 | 12 | 8.3 kg | 28.0 cm | 34.8 cm | 38.4 cm |
| VECUT5208 | Yellow-Black | 08 | VENICUT52 | 0 | 0 | 60 | 12 | 8.9 kg | 28.6 cm | 34.8 cm | 39.2 cm |
| VECUT5209 | Yellow-Black | 09 | VENICUT52 | 0 | 0 | 60 | 12 | 9.4 kg | 29.2 cm | 37.4 cm | 39.4 cm |
| VECUT5210 | Yellow-Black | 10 | VENICUT52 | 0 | 0 | 60 | 12 | 10.0 kg | 28.8 cm | 37.2 cm | 40.2 cm |

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height