



VENICUT52

LUCRARI DE TAIERE DE LUNGA DURATA

Protecția mâinilor



Aplicații

- Lucrări publice
- Construcții
- Finisaje / Bricolaj
- Întreținere
- Automobile
- Muncă temporară

Certificări și norme



EN 388
3 X 4 2 D



EN 407
X 2 X X X X

ANSI ISEA 105

A3

Protejează împotriva riscurilor



Căldură



Tăiere



Uzură



VENICUT52

LUCRARI DE TAIERE DE LUNGA DURATA

Protecția mâinilor

Detalii - Norme



EN388:2016+A1:2018

3 [0-4] REZISTENȚĂ LA ABRAZIUNE
X [0-5] REZISTENȚĂ LA TĂIEREA CU LAMA
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Detalii tehnice

Tip de mănușă	Mănușă mecanică
Categoria de mănuși	Mănușă tricotată cu strat protector
Tip de mănușă de protecție mecanică	Tricotată
Material și finisaj înveliș	Latex texturat aderent
Nivel de acoperire	Membrană palmară
Număr de straturi de acoperire	Membrană simplă
Calibru	10
Culoare	Galben-Negru
Dimensiune	7, 8, 9, 10








VENICUT52

LONG-LASTING CUT WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT5207	Yellow-Black	07	VENICUT52	0	0	60	12	8.3 kg	28.0 cm	34.8 cm	38.4 cm
VECUT5208	Yellow-Black	08	VENICUT52	0	0	60	12	8.9 kg	28.6 cm	34.8 cm	39.2 cm
VECUT5209	Yellow-Black	09	VENICUT52	0	0	60	12	9.4 kg	29.2 cm	37.4 cm	39.4 cm
VECUT5210	Yellow-Black	10	VENICUT52	0	0	60	12	10.0 kg	28.8 cm	37.2 cm	40.2 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height