



VENICUT50

LAVORI TAGLIENTI DI LUNGA DURATA

Protezione delle mani



Campi di utilizzo

- Lavori pubblici
- Edificio
- Finitura / artigiani
- Manutenzione
- Automotive
- Industria mineraria

Certificazioni e norme



EN 388
4 X 4 2 D



EN 407
X 2 X X X X

ANSI ISEA 105

A4

Protegge contro i rischi



Calore



Taglio



Usura



VENICUT50

LAVORI TAGLIENTI DI LUNGA DURATA

Protezione delle mani

Dettagli - Norme



EN388:2016+A1:2018

4 [0-4] RESISTENZA ALL'ABRASIONE
X [0-5] RESISTENZA AL TAGLIO
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Dettagli tecnici

| | |
|--------------------------|----------------------------------|
| Tipo di guanto | Guanto specifico |
| Gamma di guanti | Guanto in maglia non spalmato |
| Tipo di guanto meccanico | Lavorazione a maglia |
| Tipo di guanti Specifico | Palmo in pelle lavorata a maglia |
| Finezza | 10 |
| Vantaggio supplementare | Reach, Appendibile |
| Colore | Giallo-Grigio |
| Taglia | 9, 10 |








VENICUT50

LONG-LASTING CUT WORK

Safety gloves

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|-----------|-------------|------|-------------|-------|----------|---|---|---------|---|---|---|
| VECUT5009 | Yellow-Grey | 09 | VENICUT50 | 0 | 0 | 60 | 12 | 10.2 kg | 22.4 cm | 27.2 cm | 72.8 cm |
| VECUT5010 | Yellow-Grey | 10 | VENICUT50 | 0 | 0 | 60 | 12 | 11.3 kg | 66.8 cm | 27.8 cm | 23.2 cm |

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height