



VENICUT52

LONG-LASTING CUT WORK

Hand protection



Applications

- Javna dela
- Stavba
- Second work / craftman
- Vzdrževanje
- Avtomobilska
- Začasno delo

Certifications and norms



EN 388
3 X 4 2 D



EN 407
X 2 X X X X

ANSI ISEA 105

A3

Protects against risks



Heat



Cutting



Wearing



VENICUT52

LONG-LASTING CUT WORK

Hand protection

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Coating material and finition	Latex grip textured
Coating level	Palm coated
Number of layer	Single layer
Gauge	10
Color	Rumena-Črna
Size	7, 8, 9, 10








VENICUT52


LONG-LASTING CUT WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT5207	Yellow-Black	07	VENICUT52	0	0	60	12	8.3 kg	28.0 cm	34.8 cm	38.4 cm
VECUT5208	Yellow-Black	08	VENICUT52	0	0	60	12	8.9 kg	28.6 cm	34.8 cm	39.2 cm
VECUT5209	Yellow-Black	09	VENICUT52	0	0	60	12	9.4 kg	29.2 cm	37.4 cm	39.4 cm
VECUT5210	Yellow-Black	10	VENICUT52	0	0	60	12	10.0 kg	28.8 cm	37.2 cm	40.2 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height