



VENICUT52

ΕΡΓΑΣΙΕΣ ΑΙΧΜΗΡΕΣ ΜΕΓΑΛΗΣ ΔΙΑΡΚΕΙΑΣ

Προστασία των χεριών



Περιοχή χρήσης

- Δημόσια έργα
- Οικοδομική βιομηχανία
- Λεπτές εργασίες / Καλλιτεχνισ
- Συντήρηση
- Αυτοκίνητο
- Προσωρινή εργασία

Πιστοποιήσεις και Προτυπα



EN 388
3 X 4 2 D



EN 407
X 2 X X X X

ANSI ISEA 105

A3

Προστατεύει από



Θερμότητα



Κοπή



Φθορά



VENICUT52

ΕΡΓΑΣΙΕΣ ΑΙΧΜΗΡΕΣ ΜΕΓΑΛΗΣ ΔΙΑΡΚΕΙΑΣ

Προστασία των χεριών

Λεπτομερείες - Προτυπα



EN388:2016+A1:2018

3 [0-4] ΑΝΤΙΣΤΑΣΗ ΣΤΗΝ ΤΡΙΒΗ
X [0-5] ΑΝΤΙΣΤΑΣΗ ΣΤΗΝ ΚΟΠΗ
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Τεχνικές λεπτομέρειες

Τύπος γαντιού	Γάντι μηχανικής προστασίας
Κατηγορία γαντιών	Πλεκτό γάντι με επίστρωση
Τύπος μηχανικού γαντιού	Πλεκτό
Υλικό επίστρωσης και φινιρίσματος	Ανάγλυφο λάτεξ βέλκρο
Περιοχή επίστρωσης	Επίστρωση παλάμης
Τύπος επίστρωσης	Απλή επίστρωση
Μετρητής	10
Χρώμα	Κίτρινο-Μαύρο
Μέγεθος	7, 8, 9, 10








VENICUT52


LONG-LASTING CUT WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT5207	Yellow-Black	07	VENICUT52	0	0	60	12	8.3 kg	28.0 cm	34.8 cm	38.4 cm
VECUT5208	Yellow-Black	08	VENICUT52	0	0	60	12	8.9 kg	28.6 cm	34.8 cm	39.2 cm
VECUT5209	Yellow-Black	09	VENICUT52	0	0	60	12	9.4 kg	29.2 cm	37.4 cm	39.4 cm
VECUT5210	Yellow-Black	10	VENICUT52	0	0	60	12	10.0 kg	28.8 cm	37.2 cm	40.2 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height