



# VENICUT43

TRAVAUX LÉGÈREMENT COUPANTS LONGUE DURÉE

Protection des mains



## Applications

- Agriculture
- Travaux publics
- Bâtiment
- Second œuvre / Artisans
- Maintenance
- Industrie chimique

## Certifications et normes



EN 388  
4 X 4 3 C

ANSI ISEA 105

A3



# VENICUT43

TRAVAUX LÉGÈREMENT COUPANTS LONGUE DURÉE

Protection des mains

## Détails - Normes



### EN388:2016+A1:2018

4 [0-4] RÉSISTANCE À L'ABRASION  
X [0-5] RÉSISTANCE À LA COUPURE  
4 [0-4] RÉSISTANCE À LA DÉCHIRURE  
3 [0-4] RÉSISTANCE À LA PERFORATION  
C [A-F] RÉSISTANCE À LA COUPURE SELON  
ISO 13997

## Détails techniques

Type de gant	Gant mécanique
Famille de gants	Gant tricoté enduit
Type de gant mécanique	Tricoté
Matériau et finition de l'enduction	Nitrile lisse
Niveau d'enduction	Enduction palmaire
Nombre d'enduction	Simple enduction
Jauge	13
Couleur	Gris-Noir
Tailles	7, 8, 9, 10
Type de conditionnement	Sachet de 3








# VENICUT43

SLIGHTLY SHARP AND LONG-LASTING WORK

Safety gloves

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT43GRG307	Grey-Black	07	VENICUT43	0	0	40	4	10.0 kg	30.0 cm	59.8 cm	36.8 cm
VECUT43GRG308	Grey-Black	08	VENICUT43	0	0	40	4	10.6 kg	30.6 cm	58.6 cm	38.0 cm
VECUT43GRG309	Grey-Black	09	VENICUT43	0	0	40	4	11.1 kg	30.8 cm	57.6 cm	38.4 cm
VECUT43GRG310	Grey-Black	10	VENICUT43	0	0	40	4	11.7 kg	30.4 cm	58.2 cm	37.4 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height