



VENICUT44

ARBEITEN MIT GERINGEM SCHNITTRISIKO UND ARBEITSINTENSIV

Handschutz



Anwendung

- Öffentliche Arbeiten
- Gebäude
- Secondhand / Handwerker
- Instandhaltung
- Automobil
- Bergbauindustrie

Zertifikationen und normen



EN 388
4 X 4 2 C

ANSI ISEA 105

A3

Schützt gegen



Schnitt



Tragen



VENICUT44

ARBEITEN MIT GERINGEM SCHNITTRISIKO UND ARBEITSINTENSIV

Handschutz

Details - Normen



EN388:2016+A1:2018

4 [0-4] WIDERSTAND GEGEN ABRIEB
X [0-5] SCHNITTFESTIGKEIT
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
C [A-F] CUT RESISTANCE ISO 13997

Technische Details

Produkttyp	Mechanischer Handschuh
Handschuh-Produktfamilie	Beschichteter Strickhandschuh
Art des mechanischen Handschuhs	Gestrickt
Material und Verarbeitung der Beschichtung	PU
Beschichtung	Palme beschichtet
Anzahl der Beschichtungen	Einfache Beschichtung
Gauge	13
Farbe	Grau-Schwarz
Größe	7, 8, 9, 10








VENICUT44

SLIGHTLY SHARP AND LONG-LASTING WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT44GRG307	Grey-Black	07	VENICUT44	0	0	40	4	8.2 kg	55.0 cm	33.0 cm	27.0 cm
VECUT44GRG308	Grey-Black	08	VENICUT44	0	13295249191846	40	4	8.2 kg	34.4 cm	58.2 cm	29.4 cm
VECUT44GRG309	Grey-Black	09	VENICUT44	0	0	40	4	10.2 kg	55.0 cm	33.0 cm	27.0 cm
VECUT44GRG310	Grey-Black	10	VENICUT44	0	0	40	4	9.4 kg	35.0 cm	61.4 cm	30.2 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height