



VENICUT43

LAVORI LEGGERMENTE TAGLIANTI DI LUNGA DURATA

Protezione delle mani



Campi di utilizzo

- Agricoltura
- Lavori pubblici
- Edificio
- Finitura / artigiani
- Manutenzione
- Industria chimica

Certificazioni e norme



EN 388
4 X 4 3 C

ANSI ISEA 105

A3



VENICUT43

LAVORI LEGGERMENTE TAGLIENTI DI LUNGA DURATA

Protezione delle mani

Dettagli - Norme



EN388:2016+A1:2018

4 [0-4] RESISTENZA ALL'ABRASIONE
X [0-5] RESISTENZA AL TAGLIO
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
C [A-F] CUT RESISTANCE ISO 13997

Dettagli tecnici

Tipo di guanto	Guanto meccanico
Gamma di guanti	Guanto in maglia spalmato
Tipo di guanto meccanico	Lavorazione a maglia
Materiale e finitura della spalmatura	Nitrile liscio
Livello di spalmatura	Spalmatura sul palmo
Numero di spalmature	Spalmatura singola
Finezza	13
Colore	Grigio-Nero
Taglia	7, 8, 9, 10
Tipo di imballaggio	Sacchetto da 3








VENICUT43

SLIGHTLY SHARP AND LONG-LASTING WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT43GRG307	Grey-Black	07	VENICUT43	0	0	40	4	10.0 kg	30.0 cm	59.8 cm	36.8 cm
VECUT43GRG308	Grey-Black	08	VENICUT43	0	0	40	4	10.6 kg	30.6 cm	58.6 cm	38.0 cm
VECUT43GRG309	Grey-Black	09	VENICUT43	0	0	40	4	11.1 kg	30.8 cm	57.6 cm	38.4 cm
VECUT43GRG310	Grey-Black	10	VENICUT43	0	0	40	4	11.7 kg	30.4 cm	58.2 cm	37.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height