



VENICUT43

LICHT SNIJRISICO BIJ LANGDURIG GEBRUIK

Handbescherming



Toepassing

- Landbouw
- Openbare werken
- Bouw & Constructie
- Afwerking / ambachtslieden
- Onderhoud
- Chemische industrie

Certificeringen en normen



EN 388
4 X 4 3 C

ANSI ISEA 105

A3



VENICUT43

LICHT SNIJRISICO BIJ LANGDURIG GEBRUIK

Handbescherming

Normen - Details



EN388:2016+A1:2018

4 [0-4] SCHUURWEERSTAND
X [0-5] WEERSTAND TEGEN SNIJDEN
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
C [A-F] CUT RESISTANCE ISO 13997

Technische details

Type handschoen	Mechanische handschoen
Handschoenfamilie	Gebreide handschoen met coating
Type mechanische handschoen	Gebreid
Coatingmateriaal en afwerking	Glad Nitril
Coatingniveau	Palm coating
Aantal coatings	Enkele coating
Jauge	13
Kleur	Grijs-Zwart
Grootte	7, 8, 9, 10
Soort verpakking	Zakje van 3



VENICUT43

SLIGHTLY SHARP AND LONG-LASTING WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT43GRG307	Grey-Black	07	VENICUT43	0	0	40	4	10.0 kg	30.0 cm	59.8 cm	36.8 cm
VECUT43GRG308	Grey-Black	08	VENICUT43	0	0	40	4	10.6 kg	30.6 cm	58.6 cm	38.0 cm
VECUT43GRG309	Grey-Black	09	VENICUT43	0	0	40	4	11.1 kg	30.8 cm	57.6 cm	38.4 cm
VECUT43GRG310	Grey-Black	10	VENICUT43	0	0	40	4	11.7 kg	30.4 cm	58.2 cm	37.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height