



VENICUT43

НЕМНОГО РЕЗКАЯ И ДЛИТЕЛЬНАЯ РАБОТА

Защита рук



Применение

- Сельское хозяйство
- Гражданская инфраструктура
- Строительство
- Отделка / Коммуникации
- Техническое обслуживание
- Химическая промышленность

Сертификация и стандарты



EN 388
4 X 4 3 C

ANSI ISEA 105

A3



VENICUT43

НЕМНОГО РЕЗКАЯ И ДЛИТЕЛЬНАЯ РАБОТА

Защита рук

Подробности - Стандарты



EN388:2016+A1:2018

4 [0-4] СТОЙКОСТЬ К ИСТИРАНИЮ
X [0-5] СОПРОТИВЛЕНИЕ ПОРЕЗАМ
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
C [A-F] CUT RESISTANCE ISO 13997

Технические детали

Вид перчаток	Механическая перчатка
Линейка перчаток	Трикотажная перчатка с покрытием
Механический тип перчаток	Трикотаж
Материал покрытия и отделка	Гладкий нитрил
Уровень покрытия	Покрытие ладони
Количество слоев	Один слой
Размер стежка	13
Цвет	Серый/чёрный
Размер	7, 8, 9, 10
Тип упаковки	Упаковка из 3 штук








VENICUT43

SLIGHTLY SHARP AND LONG-LASTING WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT43GRG307	Grey-Black	07	VENICUT43	0	0	40	4	10.0 kg	30.0 cm	59.8 cm	36.8 cm
VECUT43GRG308	Grey-Black	08	VENICUT43	0	0	40	4	10.6 kg	30.6 cm	58.6 cm	38.0 cm
VECUT43GRG309	Grey-Black	09	VENICUT43	0	0	40	4	11.1 kg	30.8 cm	57.6 cm	38.4 cm
VECUT43GRG310	Grey-Black	10	VENICUT43	0	0	40	4	11.7 kg	30.4 cm	58.2 cm	37.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height