



# VENICUT44

НЕМНОГО РЕЗКАЯ И ДЛИТЕЛЬНАЯ РАБОТА

Защита рук



## Применение

- Гражданская инфраструктура
- Строительство
- Отделка / Коммуникации
- Техническое обслуживание
- Автомобильная промышленность
- Добыча

## Сертификация и стандарты



EN 388  
4 X 4 2 C

ANSI ISEA 105

A3

## Защищает от



Порез



Износ



# VENICUT44

НЕМНОГО РЕЗКАЯ И ДЛИТЕЛЬНАЯ РАБОТА

Защита рук

## Подробности - Стандарты



### EN388:2016+A1:2018

4 [0-4] СТОЙКОСТЬ К ИСТИРАНИЮ  
X [0-5] СОПРОТИВЛЕНИЕ ПОРЕЗАМ  
4 [0-4] TEAR RESISTANCE  
2 [0-4] PIERCE RESISTANCE  
C [A-F] CUT RESISTANCE ISO 13997

## Технические детали

Вид перчаток	Механическая перчатка
Линейка перчаток	Трикотажная перчатка с покрытием
Механический тип перчаток	Трикотаж
Материал покрытия и отделка	Полиуретан
Уровень покрытия	Покрытие ладони
Количество слоев	Один слой
Размер стежка	13
Цвет	Серый/чёрный
Размер	7, 8, 9, 10








# VENICUT44

SLIGHTLY SHARP AND LONG-LASTING WORK

Safety gloves

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT44GRG307	Grey-Black	07	VENICUT44	0	0	40	4	8.2 kg	55.0 cm	33.0 cm	27.0 cm
VECUT44GRG308	Grey-Black	08	VENICUT44	0	13295249191846	40	4	8.2 kg	34.4 cm	58.2 cm	29.4 cm
VECUT44GRG309	Grey-Black	09	VENICUT44	0	0	40	4	10.2 kg	55.0 cm	33.0 cm	27.0 cm
VECUT44GRG310	Grey-Black	10	VENICUT44	0	0	40	4	9.4 kg	35.0 cm	61.4 cm	30.2 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height