



# VENICUT44

SLIGHTLY SHARP AND LONG-LASTING WORK

Захист рук



## Додатки

- Обслуговування об'єктів громадської інфраструктури
- Будівництво
- Ремонтні роботи / Ремісництво
- Технічне обслуговування
- Автомобільний сектор
- Видобувна промисловість

## Сертифікати і стандарти



EN 388  
4 X 4 2 C

ANSI ISEA 105

A3

## Захищає від



Поріз



Знос, істирання



*enjoy safety.*

Edit 04/11/2024  
[www.deltaplus.eu](http://www.deltaplus.eu)



# VENICUT44

SLIGHTLY SHARP AND LONG-LASTING WORK

Захист рук

## Деталі - Стандарти



### EN388:2016+A1:2018

4 ІНДЕКС НА ІСТИРАННЯ, 0-4  
X ІНДЕКС НА ПОРІЗ, 0-5  
4 [0-4] TEAR RESISTANCE  
2 [0-4] PIERCE RESISTANCE  
C [A-F] CUT RESISTANCE ISO 13997

## Технічні деталі

Тип рукавичок	для захисту від механічних ризиків
Категорія рукавичок	трикотажні рукавички з покриттям
Тип рукавичок від механічних ризиків	Трикотажні
Матеріал покриття	ПУ
Рівень покриття	Покриття на долоні
Кількість шарів	одношарове покриття
Розмір стібка	13
Колір	Сіро-чорний
Розмір	7, 8, 9, 10








# VENICUT44

SLIGHTLY SHARP AND LONG-LASTING WORK

Safety gloves

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT44GRG307	Grey-Black	07	VENICUT44	0	0	40	4	8.2 kg	55.0 cm	33.0 cm	27.0 cm
VECUT44GRG308	Grey-Black	08	VENICUT44	0	13295249191846	40	4	8.2 kg	34.4 cm	58.2 cm	29.4 cm
VECUT44GRG309	Grey-Black	09	VENICUT44	0	0	40	4	10.2 kg	55.0 cm	33.0 cm	27.0 cm
VECUT44GRG310	Grey-Black	10	VENICUT44	0	0	40	4	9.4 kg	35.0 cm	61.4 cm	30.2 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height