

PVCC400

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the forearm from oils and hydrocarbons in prolonged use



Certifications and norms





EN 388 4131X



EN ISO 374-1 TYPE B AKL



EN ISO 374-5

Specific benefits



Performance

· Extra thick and long for extra protection of the entire arm

Applications

- Building
- Maintenance
- Chemical Industry
- Oil & Gas (Extraction)
- Mining
- Petrochemical

Risk Protection













PVCC400

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the forearm from oils and hydrocarbons in prolonged use

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE 1 [0-5] CUT RESISTANCE 3 [0-4] TEAR RESISTANCE 1 [0-4] PIERCE RESISTANCE X [A-F] CUT RESISTANCE ISO 13997



EN 374

A : MÉTHANOL K

Technical details

Glove kind	Tight glove
Glove family	Tight glove supported
Tight glove kind	Supported
Coating material and finition	pvc smooth
Coating Level	Full Coating
Number of Coatings	Single Coated
Thickness (mm)	1,20 -> 1,40
Arm level protection	Elbow cuff (<= 500mm)
Benefits element	Reach, Long cuff (>290mm)
Color	Red
Size	10







PVCC400

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the forearm from oils and hydrocarbons in prolonged use

Logistics information											
Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight			
PVCC40010	Red	10	PVCC400	3295249134396	13295249134393	120	12	40.16 kg	78.0 cm	41.0 cm	32.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height



