

## **JAMMER YEL**

**SAFETY GLASSES** 

Safety glasses designed for maximum side protection



# **Specific benefits**



#### **Comfort**

· Ample indirect venting on the top and bottom of the lens to reduce moisutre infultration and fogging



#### Durability

· Anti-scratch coating increasing lifespan

## **Applications**

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Manufacturing/Transformation
- Heavy Industry

### **Certifications and norms**

**ANSI-ISEA Z87.1 - IMPACT** 

Z87



CSA Z94.3-20

#### **Risk Protection**











# **JAMMER YEL**

**SAFETY GLASSES** 

Safety glasses designed for maximum side protection

#### **Standards - Details**

#### **Technical details**

| Type of eye protection  | Glasses  |
|-------------------------|--|
| Use                     | Inside/outside   |
| Lens Material           | Polycarbonate  |
| Lens treatment          | Anti-scratch (classic), UV400,<br>Antistatic   |
| Glasses Style           | Monoblock  |
| Lens color              | Yellow   |
| Optical class           | 1  |
| Lens protection class   | 1  |
| Glasses Characteristics | Curved, Floating   |
| Nose pad material       | Polycarbonate  |
| Frame Material          | Polycarbonate  |
| Frame Support           | Temples  |
| Weight (g)              | 21   |
| Benefits elements       | Antistatic, Large field of view, Hi-viz,<br>Head size auto-adjustment,<br>Increased visual comfort |







## **JAMMER YEL**

#### **SAFETY GLASSES**

Safety glasses designed for maximum side protection

#### **Head protection**

| Logistics information |        |      |             |              |          |     |    |        |        |        |        |
|-----------------------|--------|------|-------------|--------------|----------|-----|----|--------|--------|--------|--------|
| Reference             | Colour | Size | Designation | EAN13        | Box code |     | Å  | Weight |        |        |        |
| WCA95000YEL           | Yellow | -    | JAMMER YEL  | 776285950025 | 0        | 300 | 25 | 0.0 kg | 0.0 cm | 0.0 cm | 0.0 cm |

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height