



Head protection

JAMMER IOM

SAFETY GLASSES

Safety glasses designed for maximum side protection



Specific benefits



Comfort

· Ample indirect venting on the top and bottom of the lens to reduce moisture infiltration and fogging



Durability

· Anti-scratch coating increasing lifespan

Applications

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Manufacturing/Transformation
- Heavy Industry

Certifications and norms

ANSI-ISEA Z87.1 - IMPACT

Z87



CSA Z94.3-20



Head protection

JAMMER IOM

SAFETY GLASSES

Safety glasses designed for maximum side protection

Standards - Details

Technical details

| | |
|-------------------------|--|
| Kind of spectacles | Glasses |
| Use | Outside |
| Lens Material | Polycarbonate |
| Lens treatment | Anti-scratch (classic), UV400, Antistatic |
| Glasses Style | Monoblock |
| Lens color | Smoke |
| Glasses Characteristics | Curved, Floating |
| Nose pad material | Polycarbonate |
| Frame Support | Temples |
| Weight | 21 g |
| Benefits elements | Antistatic, Large field of view, Hi-viz, Head size auto-adjustment, Increased visual comfort |








JAMMER IOM

SAFETY GLASSES


Safety glasses designed for maximum side protection

Head protection

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|-------------|------------|------|-------------|--------------|----------|---|---|--------|---|---|---|
| WCA95000IOM | Colourless | - | JAMMER IOM | 776285950049 | 0 | 300 | 25 | 0.0 kg | 0.0 cm | 0.0 cm | 0.0 cm |

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height