



JS 501

LUNETTES À BRANCHES

Head protection



Specific benefits



Comfort

· Extra soft nose bridge for an optimised comfort and perfect fit for all body types



Performance

· Floating lens design that allows the frame to flex outward to fit a broader range of face sizes



Easy to use

· Anti-slip ends for an increased comfort and very good hold on the head (or on a helmet)



Durability

· Anti-scratch coating Increasing lifespan

Certifications and norms

ANSI-ISEA Z87.1 - IMPACT

Z87



CSA Z94.3-20

Applications

- Kmetijstvo
- Javna dela
- Stavba
- Second work / craftman
- Proizvodnja / Predelava
- Težka industrija

Protects against risks



Shock



UV / IR



JS 501

LUNETTES À BRANCHES

Head protection

Standards - Details

Technical details

| | |
|---------------------------|--|
| Type of eye protection | Glasses |
| Lens matériel | Polycarbonate |
| Lens treatment | Anti-scratch (classic), UV400, Antistatic |
| Lens support | Monobloc |
| Lens color | Grey, Yellow, Self darkening |
| Lens protection class | 1 |
| Lens characteristic | Curved, Floating lens |
| Material nosnega nastavka | Silicone |
| Frame material | Polycarbonate |
| Frame | Temples |
| Temples benefit | Non-slip temples, Padded temples |
| Temples confort | Non-slip temples, Padded temples |
| Weight (g) | 22 |
| Benefits elements | Antistatic, Large field of view, Head size auto-adjustment, Increased visual comfort |








Head protection

JS 501

SAFETY GLASSES

Our safety glasses with contoured wrap-around collection fits snugly to your face, blocking the sun's rays

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|-------------|------------|------|-------------|--------------|----------|---|---|--------|---|---|---|
| WCA98501IOM | Colourless | - | JS 501 | 776285985058 | 0 | 300 | 25 | 0.0 kg | 0.0 cm | 0.0 cm | 0.0 cm |
| WCA98501GRY | Grey | - | JS 501 | 776285985027 | 0 | 300 | 25 | 0.0 kg | 0.0 cm | 0.0 cm | 0.0 cm |
| WCA98501YEL | Yellow | - | JS 501 | 776285985034 | 0 | 300 | 25 | 0.0 kg | 0.0 cm | 0.0 cm | 0.0 cm |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height