



Oprema za zaštitu glave

BARRIER 2

ZAŠTITNE MASKE ZA VARENJE

Maska za zavarivanje prikladna za sve radove zavarivanja zahvaljujući podesivom sjenilu



Područje upotrebe

- Zgrada
- Pomoćni poslovi / Obrtništvo
- Laka industrija
- Održavanje
- Automobilska

Certifikati i standardi



EN 379

1/1/1/2
4/5-13

EN175

B

EN166

1 B

ANSI Z87.1 - IMPACT

Z87 W4/5-9/9-13

Štiti od



Toplina



Šok



UV / IR



Oprema za zaštitu glave

BARRIER 2

ZAŠTITNE MASKE ZA VARENJE

Maska za zavarivanje prikladna za sve radove zavarivanja zahvaljujući podesivom sjenilu

Pojedinosti - Standardi

Tehnički detalji

| | |
|-------------------------------|---------------------------|
| Tip naočala | Kaciga za zavarivanje |
| Upotreba | Vanjski |
| Materijal od leće | Polikarbonat |
| Stil leće | Monoblok |
| Boja stakla | Nijansa za zavarivanje 13 |
| Optička klasa | 1 |
| Razred zaštite (u boji) | 4 |
| Karakteristika od leće | Ravna |
| Mehanička otpornost (naočale) | B |
| Boja okvira | Crno, Srebrna |
| Težina (g) | 500 |








BARRIER 2

WELDING

Welding mask with adjustable tinting suitable for all welding jobs

Head protection

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|-----------|------------|------------|-------------|---------------|----------------|---|---|--------|---|---|---|
| BARRIER2 | Black-Grey | Adjustable | BARRIER 2 | 3295249208721 | 13295249208728 | 6 | 1 | 7.0 kg | 32.8 cm | 73.2 cm | 52.4 cm |

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height