



# BARRIER 2

## SOUDURE

Head protection



## Applications

- Stavba
- Second work / craftman
- Lahka industrija
- Vzdrževanje
- Avtomobilska

## Certifications and norms



### EN 379

1/1/1/2  
4/5-13

### EN175

B

### EN166

1 B

### ANSI Z87.1 - IMPACT

Z87 W4/5-9/9-13

## Protects against risks



Heat



Shock



UV / IR



# BARRIER 2

## SOUDURE

Head protection

### Standards - Details

### Technical details

Type of eye protection	Welding helmet
Use	Outside
Lens matériel	Polycarbonate
Lens support	Monobloc
Lens color	Welding 13
Optical class	1
Lens protection class	4
Lens characteristic	Straight
Mechanical strength (lens)	B
Frame color	Black, Silver
Weight (g)	500



# BARRIER 2

## WELDING

Welding mask with adjustable tinting suitable for all welding jobs

Head protection

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
BARRIER2	Black-Grey	Adjustable	BARRIER 2	3295249208721	13295249208728	6	1	7.0 kg	32.8 cm	73.2 cm	52.4 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height