



Avion Grey Lens; Black Temple

LUNETTES À BRANCHES

Head protection



Specific benefits



Comfort

· Extra soft nose bridge for an optimised comfort and perfect fit for all body types



Performance

· Wrap-around, uni-lens design offers full panoramic view and excellent side protection



Easy to use

· Anti-slip ends for an increased comfort and very good hold on the head (or on a helmet)
· Stylish for workers who don't like to wear eye protection, try it adopt it
· Stylish safety frame that workers will like to wear at work or at play



Durability

· Anti-scratch coating Increasing lifespan

Certifications and norms

ANSI-ISEA Z87.1 - IMPACT

Z87+ U6 L2.5



CSA Z94.3-20

Applications

- Kmetijstvo
- Ribolov
- Javna dela
- Stavba
- Second work / craftman
- Težka industrija



Avion Grey Lens; Black Temple

LUNETTES À BRANCHES

Head protection

Standards - Details

Technical details

| | |
|---------------------------|--|
| Kind of spectacles | Glasses |
| Lens matériel | Polycarbonate |
| Lens based curve | 10 |
| Lens support | Monobloc |
| Lens characteristic | Curved |
| Material nosnega nastavka | TPR (Thermoplastic Rubber) |
| Frame material | Polycarbonate, TPR |
| Frame | Temples |
| Temples benefit | Non-slip temples, Padded temples |
| Temples confort | Non-slip temples, Padded temples |
| Optional accessories | Strap, Case |
| Weight | 24 g |
| Benefits elements | Color perception, Large field of view, Helmet compatibility, Lightweight |








Avion Grey Lens; Black Temple

SAFETY GLASSES

Our flagship unitary lens safety glasses with premium comfort and performance

Head protection

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|---------------|--------|------|----------------------------------|---------------|----------|---|---|--------|---|---|---|
| WELSG18GAFBLK | Grey | - | Avion Grey Lens; Black Temple | 7292949760290 | 0 | 144 | 12 | 6.1 kg | 27.4 cm | 45.0 cm | 50.5 cm |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height