

## **Octane Blue Mirrored Lens; Black Temples**

**SAFETY GLASSES** 

Our most popular and stylish wraparound safety glasses!



# Certifications and norms

**ANSI Z87.1 - IMPACT** 

Z87+

**ANSI-ISEA Z87.1 - IMPACT** 

Z87+



CSA Z94.3-20

**ANSI/ISEA Z87.1** 

### **Specific benefits**



#### **Comfort**

- · Contemporary wrap-around bifocal design offers a close fit and comfortable protection.
- $\cdot$  Extra soft nose bridge for an optimised comfort and perfect fit for all body types
- · Flex temples for an optimal comfort with less pressure



#### **Performance**

- $\cdot$  Excellent industrial grade protection in a contemporary angular wrap style and with wide field of vision.
- · High performance optical class for less visual fatigue



#### Easy to use

· Anti-slip ends for an increased comfort and very good hold on the head (or on a helmet)

#### **Applications**

- Public Works
- Finishing Works/Craftsmanship
- Light Industry
- Maintenance
- Automotive
- Oil & Gas (Extraction)

### **Risk Protection**











# **Octane Blue Mirrored Lens; Black Temples**

**SAFETY GLASSES** 

Our most popular and stylish wraparound safety glasses!

### **Standards - Details**

### **Technical details**

Type of eye protection	Glasses
Use	Outside
Lens Material	Polycarbonate
Lens treatment	Anti-scratch (classic)
Lens based curve	8.5
Glasses Style	Monoblock
Lens color	Mirror blue
Glasses Characteristics	Curved
Nose pad material	TPR (Thermoplastic Rubber)
Frame Material	Nylon
Frame Support	Temples
Frame color	Black
Temple Benefits	Extra thin, Non-slip temples
Temples confort	Non-slip temples
Accessory included	Strap
Optional Accessories	Pouch
Weight (g)	26
Benefits elements	Large field of view, Increased visual comfort







# **Octane Blue Mirrored Lens; Black Temples**

**SAFETY GLASSES** 

Our most popular and stylish wraparound safety glasses!

Logistics information											
Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight			
WEL15332BKBM	Mirror	One size	Octane Blue Mirrored Lens; Black Temples	720609153326	10720609153323	144	12	12.96 lb	9.85 in	25.6 in	12.5 in

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height