



Octane Clear Lens; Black Temples

LUNETTES À BRANCHES

Head protection



Specific benefits

Comfort

- Contemporary wrap-around bifocal design offers a close fit and comfortable protection.
- Extra soft nose bridge for an optimised comfort and perfect fit for all body types
- Flex temples for an optimal comfort with less pressure

Performance

- Excellent industrial grade protection in a contemporary angular wrap style and with wide field of vision.
- High performance optical class for less visual fatigue

Easy to use

- Anti-slip ends for an increased comfort and very good hold on the head (or on a helmet)

Applications

- Javna dela
- Second work / craftman
- Lahka industrija
- Vzdrževanje
- Avtomobilska
- Nafta in plin (pridobivanje)

Certifications and norms

ANSI Z87.1 - IMPACT

Z87+

ANSI-ISEA Z87.1 - IMPACT

Z87+



CSA Z94.3-20

ANSI/ISEA Z87.1

Protects against risks



Shock



UV / IR



Octane Clear Lens; Black Temples

LUNETTES À BRANCHES

Head protection

Standards - Details

Technical details

Type of eye protection	Glasses
Use	Inside
Lens matériel	Polycarbonate
Lens based curve	8.5
Lens support	Monobloc
Lens color	Clear
Lens characteristic	Curved
Material nosnega nastavka	TPR (Thermoplastic Rubber)
Frame material	Nylon
Frame	Temples
Frame color	Black
Temples benefit	Extra thin, Non-slip temples
Temples confort	Non-slip temples
Accessory included	Strap
Optional accessories	Case
Weight (g)	26
Benefits elements	Large field of view, Increased visual confort








Octane Clear Lens; Black Temples

SAFETY GLASSES

Our most popular and stylish wraparound safety glasses!

Head protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WEL15324BKCL	Black	One size	Octane Clear Lens; Black Temples	720609153241	10720609153248	144	12	12.96 lb	9.85 in	25.6 in	12.5 in
WEL15325BKCLAF	Black	One size	Octane Clear Lens; Black Temples	720609153258	10720609153255	144	12	12.96 lb	9.85 in	25.6 in	12.5 in

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height