



Head protection

# LENOX 401 CLEAR AS AF

## SAFETY GLASSES

Safety Glasses with ultra lightweight frameless wrap around single lens design



### Specific benefits



#### Comfort

- Ultra lightweight for a better acceptance in extended period of use



#### Performance

- High performance optical class for less visual fatigue
- Injected polycarbonate for a maximum impact resistance
- Wraparound lens provides extra wide unobstructed field of vision.



#### Easy to use

- Anti-slip ends for an increased comfort and very good hold on the head (or on a helmet)



#### Durability

- Anti-scratch coating increasing lifespan

### Applications

- Agriculture
- Public Works
- Finishing Works/Craftsmanship
- Light Industry
- Maintenance
- Cleanliness

### Certifications and norms

EN170

UV 2C

EN166

1 FT / FT



CSA Z94.3-20

ANSI/ISEA Z87.1



Head protection

# LENOX 401 CLEAR AS AF

## SAFETY GLASSES

Safety Glasses with ultra lightweight frameless wrap around single lens design

### Standards - Details

### Technical details

Kind of spectacles	Glasses
Use	Inside
Lens Material	Polycarbonate
Lens treatment	Anti-fogging (classic), Anti-scratch (classic), UV400
Lens based curve	10
Glasses Style	Monoblock
Lens color	Clear
Glasses Characteristics	Curved
Nose pad material	TPR (Thermoplastic Rubber)
Frame Material	Polycarbonate
Frame Support	Temples
Frame color	Transparent
Temple Benefits	Non-slip temples, Padded temples
Temples confort	Non-slip temples, Padded temples
Weight	23g
Benefits elements	Color perception, Large field of view, Respiratory mask compatibility, Ear protection compatibility, Lightweight
Type of conditioning	box of 10








Head protection

# LENOX 401 CLEAR AS AF

## SAFETY GLASSES

Safety Glasses with ultra lightweight frameless wrap around single lens design

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LENOXINAB	Clear	-	LENOX 401 CLEAR AS AF	3295249283506	13295249283503	100	10	0.0 kg	0.0 cm	0.0 cm	0.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height