

## **LENOX 401 GRAY ASAF**

**SAFETY GLASSES** 

Safety Glasses with ultra lightweight frameless wrap around single lens design



## **Certifications and norms**

EN170

UV 2C

**EN166** 

1 FT / FT



CSA Z94.3-20

**ANSI/ISEA Z87.1** 

## **Specific benefits**



#### **Comfort**

· Ultra lightweight for a better acceptance in extended period of use



#### **Performance**

- · High performance optical class for less visual fatigue
- · Injected polycarbonate for a maximum impact resistance
- · Wraparound lens provides extra wide unobstructed field of vision.



#### Easy to use

· Anti-slip ends for an increased comfort and very good hold on the head (or on a helmet)



#### Durability

· Anti-scratch coating increasing lifespan

## **Applications**

- Agriculture
- Public Works
- Finishing Works/Craftsmanship
- Light Industry
- Maintenance
- Cleanliness







# **LENOX 401 GRAY ASAF**

**SAFETY GLASSES** 

Safety Glasses with ultra lightweight frameless wrap around single lens design

#### **Standards - Details**

### **Technical details**

Kind of spectacles	Glasses
Use	Outside
Lens Material	Polycarbonate
Lens treatment	Anti-fogging (classic), Anti-scratch (classic), UV400
Lens based curve	10
Glasses Style	Monoblock
Lens color	Grey
Glasses Characteristics	Curved
Nose pad material	TPR (Thermoplastic Rubber)
Frame Material	Polycarbonate
Frame Support	Temples
Frame color	Grey
Temple Benefits	Non-slip temples, Padded temples
Temples confort	Non-slip temples, Padded temples
Weight	23g
Benefits elements	Color perception, Large field of view, Lightweight
Type of conditioning	box of 10







# **LENOX 401 GRAY ASAF**

**SAFETY GLASSES** 

Safety Glasses with ultra lightweight frameless wrap around single lens design

#### Logistics information Reference Colour Size Designation EAN13 Box code Weight LENOX 401 GRAY ASAF LENOXFUAB c863 3295249283513 13295249283510 100 10 0.0 kg 0.0 cm 0.0 cm 0.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height