

LENOX IN OUT AS AF

SAFETY GLASSES

Safety Glasses with ultra lightweight frameless wrap around single lens design



Certifications and norms

EN172

UV 5

EN166

1 FT / FT



CSA Z94.3-20

ANSI/ISEA Z87.1

Specific benefits



Comfort

· Ultra lightweight for a better acceptance in extended period of use



Performance

- · High performance optical class for less visual fatigue
- · Injected polycarbonate for a maximum impact resistance
- · Wraparound lens provides extra wide unobstructed field of vision.



Easy to use

· Anti-slip ends for an increased comfort and very good hold on the head (or on a helmet)



Durability

· Anti-scratch coating increasing lifespan

Applications

- Agriculture
- Public Works
- Finishing Works/Craftsmanship
- Light Industry
- Maintenance
- Cleanliness







LENOX IN OUT AS AF

SAFETY GLASSES

Safety Glasses with ultra lightweight frameless wrap around single lens design

Standards - Details

Technical details

Kind of spectacles	Glasses
Use	Inside/outside
Lens Material	Polycarbonate
Lens treatment	Anti-fogging (classic), Anti-scratch (classic), UV400
Lens based curve	10
Glasses Style	Monoblock
Lens color	Gold miror
Glasses Characteristics	Curved
Nose pad material	TPR (Thermoplastic Rubber)
Frame Material	Polycarbonate
Frame Support	Temples
Frame color	Transparent
Temple Benefits	Non-slip temples, Padded temples
Temples confort	Non-slip temples, Padded temples
Weight	23g
Benefits elements	Color perception, Large field of view
Type of conditioning	box of 10







LENOX IN OUT AS AF

SAFETY GLASSES

Safety Glasses with ultra lightweight frameless wrap around single lens design

Head protection

Logistics information											
Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight			
LENOXIOAB	c061	-	LENOX IN OUT AS AF	3295249283520	13295249283527	100	10	0.0 kg	0.0 cm	0.0 cm	0.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height