



Fall protection

# HAA35M

## FALL ARRESTER HARNESES

Harness with belt & quick disconnect buckles



### Specific benefits



#### Comfort

- 3D comfort foam integrated into harness that provides comfort and breathability for prolonged use
- "H" configuration for greater comfort in women and men
- Thermoformed belt provides lumbar support and optimal comfort



#### Hygiene

- Detachable comfort foam for easy cleaning
- Can wash harnesses and textiles with neutral soap



#### Performance

- Certification above maximum rated load 100kg; product certified at 150kg

### Applications

- Agriculture
- Public Works
- Chemical Industry
- Oil & Gas (Extraction)
- Mining
- Petrochemical

### Certifications and norms

EN361

150 KG

ANSI Z359.11-2014



CSA Z259.10-18

### Risk Protection



Fall



# HAA35M

## FALL ARRESTER HARNESSSES

Harness with belt & quick disconnect buckles

Fall protection

### Standards - Details

### Technical details

Type of equipment	Fall arrest, support and suspension harnesses
Composition of the main support	Aluminum, Polyester
Fastening	Buckles
Number of attachment points	2
Number of total holding attachment points	2
Buckles	Automatic loop
Anti-fall point	Dorsal, Sternal
Holding point	Belt
Color	Grey-Yellow
Comfort elements	"Soft padding" on shoulders, Thermocompressed back
Benefits element	Fall indicator
Lifespan from manufacturing (years)	10
Number of non-removable buckles	2
Weight (kg)	2
Number of automatic loops	3
Number of fall arrest anchorage points	2
Padding	Back, Belt, Shoulder
Sternal	1
Dorsal	1
Use	120° rotation
Fall arrest work situations	Vertical movement on a permanent structure, Work positioning, Movement on lifeline, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long








Fall protection

# HAA35M

## FALL ARRESTER HARNESES

High quality belt harness with 2 anchorage points (sternal and dorsal), comfort foams and automatic buckles for optimal fit and comfort

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
HAA35MXX	Grey-Yellow	S/M/L	HAA35M	3295249281175	13295249281172	5	1	12.91 kg	27.0 cm	25.0 cm	79.0 cm
HAA35MGT	Grey-Yellow	S/M/L	HAA35M	3295249281144	13295249281141	5	1	12.72 kg	27.0 cm	25.0 cm	79.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height